

YEAR	STATE	GRADE	SCORE	STATE RANK	STATE PERCENTILE
2023	CT	1	84	1	100
2023	CT	1	76	2	97.8
2023	CT	1	74	3	95.6
2023	CT	1	73	4	93.3
2023	CT	1	70	5	91.1
2023	CT	1	69	6	86.7
2023	CT	1	68	7	84.4
2023	CT	1	66	8	82.2
2023	CT	1	65	9	80
2023	CT	1	64	10	71.1
2023	CT	1	62	11	68.9
2023	CT	1	61	12	66.7
2023	CT	1	59	13	64.4
2023	CT	1	57	14	62.2
2023	CT	1	53	15	57.8
2023	CT	1	51	16	53.3
2023	CT	1	49	17	51.1
2023	CT	1	43	18	44.4
2023	CT	1	42	19	42.2
2023	CT	1	39	20	40
2023	CT	1	38	21	37.8
2023	CT	1	37	22	33.3
2023	CT	1	35	23	31.1

2023	CT	1	34	24	26.7
2023	CT	1	33	25	24.4
2023	CT	1	32	26	22.2
2023	CT	1	31	27	20
2023	CT	1	30	28	15.6
2023	CT	1	29	29	13.3
2023	CT	1	27	30	11.1
2023	CT	1	22	31	8.9
2023	CT	1	18	32	6.7
2023	CT	1	15	33	4.4
2023	CT	1	14	34	2.2
2023	CT	2	91	1	100
2023	CT	2	86	2	97.6
2023	CT	2	84	3	96.3
2023	CT	2	83	4	93.9
2023	CT	2	82	5	91.5
2023	CT	2	80	6	90.2
2023	CT	2	79	7	87.8
2023	CT	2	76	8	85.4
2023	CT	2	73	9	84.1
2023	CT	2	72	10	81.7
2023	CT	2	71	11	80.5
2023	CT	2	70	12	79.3
2023	CT	2	69	13	76.8

2023	CT	2	67	14	74.4
2023	CT	2	66	15	73.2
2023	CT	2	65	16	70.7
2023	CT	2	64	17	67.1
2023	CT	2	63	18	65.9
2023	CT	2	62	19	62.2
2023	CT	2	61	20	59.8
2023	CT	2	60	21	58.5
2023	CT	2	59	22	53.7
2023	CT	2	58	23	51.2
2023	CT	2	57	24	50
2023	CT	2	56	25	46.3
2023	CT	2	55	26	45.1
2023	CT	2	54	27	43.9
2023	CT	2	53	28	41.5
2023	CT	2	52	29	40.2
2023	CT	2	51	30	35.4
2023	CT	2	50	31	32.9
2023	CT	2	48	32	30.5
2023	CT	2	47	33	28
2023	CT	2	46	34	24.4
2023	CT	2	45	35	19.5
2023	CT	2	44	36	15.9
2023	CT	2	43	37	12.2

2023	CT	2	41	38	11
2023	CT	2	39	39	9.8
2023	CT	2	38	40	8.5
2023	CT	2	35	41	7.3
2023	CT	2	32	42	4.9
2023	CT	2	31	43	3.7
2023	CT	2	28	44	2.4
2023	CT	2	21	45	1.2
2023	CT	3	96	1	100
2023	CT	3	92	2	98.8
2023	CT	3	89	3	97.6
2023	CT	3	88	4	96.3
2023	CT	3	78	5	95.1
2023	CT	3	78	5	95.1
2023	CT	3	76	6	92.7
2023	CT	3	75	7	91.5
2023	CT	3	75	7	91.5
2023	CT	3	74	8	89
2023	CT	3	73	9	87.8
2023	CT	3	70	10	86.6
2023	CT	3	69	11	85.4
2023	CT	3	67	12	82.9
2023	CT	3	63	13	80.5
2023	CT	3	62	14	78

2023	CT	3	61	15	76.8
2023	CT	3	60	16	76
2023	CT	3	59	17	73.2
2023	CT	3	58	18	70.7
2023	CT	3	57	19	69.5
2023	CT	3	56	20	65.9
2023	CT	3	55	21	64.6
2023	CT	3	54	22	63.4
2023	CT	3	53	23	61
2023	CT	3	52	24	59.8
2023	CT	3	50	25	58.5
2023	CT	3	49	26	54.9
2023	CT	3	48	27	53.7
2023	CT	3	47	28	51.2
2023	CT	3	46	29	47.6
2023	CT	3	45	30	46.3
2023	CT	3	43	31	40.2
2023	CT	3	42	32	37.8
2023	CT	3	40	33	35.4
2023	CT	3	39	34	34.1
2023	CT	3	38	35	32.9
2023	CT	3	37	36	30.5
2023	CT	3	36	37	29.3
2023	CT	3	35	38	26.8

2023	CT	3	34	39	25.6
2023	CT	3	33	40	24.4
2023	CT	3	29	41	20.7
2023	CT	3	28	42	17.1
2023	CT	3	27	43	14.6
2023	CT	3	26	44	9.8
2023	CT	3	25	45	8.5
2023	CT	3	22	46	6.1
2023	CT	3	21	47	4.9
2023	CT	3	20	48	3.7
2023	CT	3	19	49	2.4
2023	CT	3	11	50	1.2
2023	CT	4	92	1	100
2023	CT	4	88	2	98.1
2023	CT	4	87	3	97.2
2023	CT	4	84	4	95.3
2023	CT	4	83	5	94.3
2023	CT	4	81	6	92.5
2023	CT	4	80	7	91.5
2023	CT	4	79	8	89.6
2023	CT	4	77	9	88.7
2023	CT	4	76	10	87.7
2023	CT	4	74	11	85.8
2023	CT	4	72	12	82.1

2023	CT	4	71	13	81.1
2023	CT	4	70	14	77.4
2023	CT	4	69	15	75
2023	CT	4	67	16	72.6
2023	CT	4	66	17	69.8
2023	CT	4	65	18	67.9
2023	CT	4	63	19	67
2023	CT	4	62	20	63.2
2023	CT	4	61	21	59.4
2023	CT	4	60	22	57.5
2023	CT	4	59	23	54.7
2023	CT	4	58	24	50
2023	CT	4	57	25	46.2
2023	CT	4	56	26	44.3
2023	CT	4	55	27	41.5
2023	CT	4	54	28	36.8
2023	CT	4	53	29	35.8
2023	CT	4	52	30	34
2023	CT	4	51	31	33
2023	CT	4	48	32	31.1
2023	CT	4	47	33	26.4
2023	CT	4	45	34	24.5
2023	CT	4	44	35	23.6
2023	CT	4	43	36	21.7

2023	CT	4	42	37	19.8
2023	CT	4	40	38	17
2023	CT	4	39	39	16
2023	CT	4	38	40	12.3
2023	CT	4	35	41	9.4
2023	CT	4	34	42	8.5
2023	CT	4	33	43	6.6
2023	CT	4	31	44	5.7
2023	CT	4	27	45	4.7
2023	CT	4	25	46	2.8
2023	CT	4	24	47	1.9
2023	CT	4	18	48	0.9
2023	CT	5	110	1	100
2023	CT	5	107	2	99.2
2023	CT	5	103	3	98.3
2023	CT	5	97	4	96.6
2023	CT	5	95	5	94.9
2023	CT	5	94	6	94.1
2023	CT	5	89	7	92.4
2023	CT	5	87	8	91.5
2023	CT	5	85	9	90.7
2023	CT	5	82	10	89.8
2023	CT	5	81	11	88.1
2023	CT	5	78	12	86.4

2023	CT	5	77	13	84.7
2023	CT	5	76	14	83.1
2023	CT	5	75	15	82.2
2023	CT	5	74	16	81.4
2023	CT	5	73	17	80.5
2023	CT	5	72	18	79.7
2023	CT	5	71	19	78
2023	CT	5	70	20	77.1
2023	CT	5	69	21	73.7
2023	CT	5	68	22	72
2023	CT	5	67	23	71.2
2023	CT	5	65	24	69.5
2023	CT	5	64	25	67.8
2023	CT	5	63	26	66.9
2023	CT	5	62	27	66.1
2023	CT	5	61	28	64.4
2023	CT	5	60	29	62.7
2023	CT	5	59	30	61.9
2023	CT	5	58	31	60.2
2023	CT	5	57	32	59.3
2023	CT	5	56	33	55.9
2023	CT	5	55	34	53.4
2023	CT	5	54	35	52.5
2023	CT	5	53	36	50

2023	CT	5	51	37	48.3
2023	CT	5	50	38	43.2
2023	CT	5	49	39	41.5
2023	CT	5	48	40	38.1
2023	CT	5	47	41	35.6
2023	CT	5	46	42	32.2
2023	CT	5	45	43	29.7
2023	CT	5	44	44	25.4
2023	CT	5	43	45	22.9
2023	CT	5	42	46	18.6
2023	CT	5	41	47	17.8
2023	CT	5	39	48	16.9
2023	CT	5	38	49	15.3
2023	CT	5	37	50	13.6
2023	CT	5	36	51	12.7
2023	CT	5	35	52	9.3
2023	CT	5	33	53	8.5
2023	CT	5	31	54	6.8
2023	CT	5	30	55	5.9
2023	CT	5	29	56	4.2
2023	CT	5	26	57	2.5
2023	CT	5	20	58	1.7
2023	CT	5	16	59	0.8
2023	CT	6	110	1	100

2023	CT	6	105	2	98.7
2023	CT	6	104	3	96.1
2023	CT	6	101	4	93.4
2023	CT	6	99	5	92.1
2023	CT	6	97	6	90.8
2023	CT	6	96	7	89.5
2023	CT	6	94	8	88.2
2023	CT	6	92	9	86.8
2023	CT	6	91	10	85.5
2023	CT	6	88	11	84.2
2023	CT	6	87	12	81.6
2023	CT	6	85	13	80.3
2023	CT	6	84	14	77.6
2023	CT	6	83	15	76.3
2023	CT	6	80	16	75
2023	CT	6	76	17	73.7
2023	CT	6	75	18	71.1
2023	CT	6	74	19	68.4
2023	CT	6	73	20	67.1
2023	CT	6	72	21	65.8
2023	CT	6	71	22	64.5
2023	CT	6	70	23	63.2
2023	CT	6	69	24	61.8
2023	CT	6	68	25	60.5

2023	CT	6	67	26	59.2
2023	CT	6	66	27	57.9
2023	CT	6	65	28	55.3
2023	CT	6	64	29	53.9
2023	CT	6	63	30	52.6
2023	CT	6	62	31	50
2023	CT	6	61	32	46.1
2023	CT	6	60	33	44.7
2023	CT	6	59	34	43.4
2023	CT	6	58	35	40.8
2023	CT	6	56	36	38.2
2023	CT	6	54	37	36.8
2023	CT	6	53	38	35.5
2023	CT	6	52	39	34.2
2023	CT	6	51	40	32.9
2023	CT	6	50	41	31.6
2023	CT	6	48	42	30.3
2023	CT	6	46	43	28.9
2023	CT	6	43	44	26.3
2023	CT	6	42	45	21.1
2023	CT	6	41	46	19.7
2023	CT	6	39	47	18.4
2023	CT	6	38	48	17.1
2023	CT	6	37	49	15.8

2023	CT	6	36	50	13.2
2023	CT	6	33	51	7.9
2023	CT	6	31	52	6.6
2023	CT	6	30	53	5.3
2023	CT	6	29	54	3.9
2023	CT	6	28	55	2.6
2023	CT	6	26	56	1.3
2023	CT	7	111	1	100
2023	CT	7	105	2	95.7
2023	CT	7	102	3	94.3
2023	CT	7	91	4	92.9
2023	CT	7	90	5	91.4
2023	CT	7	89	6	90
2023	CT	7	88	7	88.6
2023	CT	7	80	8	87.1
2023	CT	7	79	9	84.3
2023	CT	7	77	10	82.9
2023	CT	7	75	11	78.6
2023	CT	7	74	12	77.1
2023	CT	7	73	13	75.7
2023	CT	7	72	14	74.3
2023	CT	7	71	15	72.9
2023	CT	7	70	16	68.6
2023	CT	7	66	17	67.1

2023	CT	7	65	18	65.7
2023	CT	7	64	19	64.3
2023	CT	7	63	20	62.9
2023	CT	7	62	21	61.4
2023	CT	7	61	22	60
2023	CT	7	58	23	58.6
2023	CT	7	57	24	52.9
2023	CT	7	55	25	50
2023	CT	7	54	26	48.6
2023	CT	7	53	27	47.1
2023	CT	7	52	28	44.3
2023	CT	7	51	29	42.9
2023	CT	7	49	30	40
2023	CT	7	48	31	34.3
2023	CT	7	47	32	32.9
2023	CT	7	46	33	31.4
2023	CT	7	43	34	30
2023	CT	7	42	35	28.6
2023	CT	7	41	36	27.1
2023	CT	7	40	37	25.7
2023	CT	7	39	38	24
2023	CT	7	38	39	21.4
2023	CT	7	37	40	18.6
2023	CT	7	37	40	18.6

2023	CT	7	36	41	15.7
2023	CT	7	35	42	14.3
2023	CT	7	34	43	12.9
2023	CT	7	33	44	10
2023	CT	7	30	45	8.6
2023	CT	7	27	46	5.7
2023	CT	7	24	47	4.3
2023	CT	7	22	48	2.9
2023	CT	7	19	49	1.4
2023	CT	8	102	1	100
2023	CT	8	95	2	97.8
2023	CT	8	94	3	95.7
2023	CT	8	91	4	93.5
2023	CT	8	89	5	91.3
2023	CT	8	83	6	89.1
2023	CT	8	79	7	84.8
2023	CT	8	72	8	82.6
2023	CT	8	71	9	80.4
2023	CT	8	69	10	73.9
2023	CT	8	68	11	71.7
2023	CT	8	67	12	69.6
2023	CT	8	65	13	67.4
2023	CT	8	64	14	60.9
2023	CT	8	63	15	56.5

2023	CT	8	58	16	50
2023	CT	8	55	17	47.8
2023	CT	8	54	18	45.7
2023	CT	8	52	19	43.5
2023	CT	8	51	20	37
2023	CT	8	50	21	30.4
2023	CT	8	46	22	26.1
2023	CT	8	45	23	21.7
2023	CT	8	43	24	19.6
2023	CT	8	39	25	17.4
2023	CT	8	38	26	15.2
2023	CT	8	36	27	13
2023	CT	8	32	28	10.9
2023	CT	8	31	29	8.7
2023	CT	8	28	30	6.5
2023	CT	8	22	31	4.3
2023	CT	8	16	32	2.2
2023	CT	9	107	1	100
2023	CT	9	106	2	90
2023	CT	9	70	3	80
2023	CT	9	52	4	70
2023	CT	9	51	5	60
2023	CT	9	46	6	50
2023	CT	9	42	7	30

2023	CT	9	29	8	20
2023	CT	9	17	9	10
2023	CT	10	97	1	100
2023	CT	10	84	2	87.5
2023	CT	10	79	3	75
2023	CT	10	65	4	62.5
2023	CT	10	64	5	50
2023	CT	10	63	6	37.5
2023	CT	10	62	7	25
2023	CT	10	46	8	12.5
2023	CT	11	107	1	100
2023	CT	11	93	2	75
2023	CT	11	76	3	50
2023	CT	11	39	4	25